

Volume 41 (1990)

Author Index

A

- Adams, D. O., K. E. Franke, and L. P. Christensen. Elevated putrescine levels in grapevine leaves that display symptoms of potassium deficiency. 41:121-5.
- Ambatlle-Espunyes, A. See M. C. Vidal-Carou. 41:160-7.
- An, D. See C. S. Ough. 41:68-73.
- Andrews, J. T., H. Heymann, and M. Ellersieck. Sensory and chemical analyses of Missouri Seyval blanc wines. 41:116-20.
- Arnold, R. A., and A. M. Bledsoe. The effect of various leaf removal treatments on the aroma and flavor of Sauvignon blanc wine. 41:74-6.
- Assemi, M. See J. L. Smilanick. 41:131-6.

B

- Barbas, J. I. See J. Mora. 41:156-9.
- Barre, P. See M. Bely. 41:319-24.
- Bartley, C. E. See C. G. Edwards. 41:48-56.
- Bass, A. W. See K. Ophel. 41:325-9.
- Bates, R. P. See C. A. Sims. 41:182-5, 273-6.
- Beelman, R. B. See C. G. Edwards. 41:48-56.
- Bely, M., J. M. Sablayrolles, and P. Barre. Description of the alcoholic fermentation kinetics: Its variability and significance. 41:319-24.
- Ben-Tal, Y. Effects of gibberellin treatments on ripening and berry drop from Thompson Seedless grapes. 41:142-6.
- Bhutani, V. P. See V. K. Joshi. 41:229-31.
- Bianchi, M. See L. P. Christensen. 41:77-83.
- Brillouet, J.-M., C. Bosso, and M. Moutounet. Isolation, purification, and characterization of an arabinogalactan from a red wine. 41:29-36.
- Bisson, L. F. See L. S. Lagace. 41:147-55.
- Blaise, A. See M. Goetghebeur. 41:295-300.
- Bledsoe, A. M. See R. A. Arnold. 41:74-6.
See J. T. English. 41:137-41.
- Boggero, J. See L. P. Christensen. 41:77-83.
- Boone, C., A.-M. Sdicu, J. Wagner, R. Degré, C. Sanchez, and H. Bussey. Integration of the yeast K1 killer toxin gene into the genome of marked wine yeasts and its effect on vinification. 41:37-42.
- Borrull, F. See R. M. Marcé. 41:289-94.
- Bosso, C. See J.-M. Brillouet. 41:29-36.
- Botella, M. A., L. Perez-Rodriguez, B. Domecq, and V. Valpuesta. Amino acid content of fino and oloroso sherry wines. 41:12-15.
- Boyle, T. A., and L. Hsu. Identification and quantitation of ellagic acid in muscadine grape juice. 41:43-7.
- Brun, S. See M. Goetghebeur. 41:295-300.
- Burns, G. See S. Fujinawa. 41:350-4.
- Bussey, H. See C. Boone. 41:37-42.

C

- Cabezudo, M. D. See T. Herraiz. 41:313-18.
- Calull, M. See R. M. Marcé. 41:289-94.

- Chambers, K. R. Benzyl alcohol as an inhibitor of the development of *Botrytis cinerea* in vitro and in packed table grapes. 41:265-8.

- Charpentier, C. See M. J. LeRoy. 41:21-8.

- Charpentier, M. See M. J. LeRoy. 41:21-8.

- Cheyrier, V., J. Rigaud, J.-M. Souquet, F. Duprat, and M. Moutounet. Must browning in relation to the behavior of phenolic compounds during oxidation. 41:346-9.

- Christensen, L. P., J. Boggero, and M. Bianchi. Comparative leaf tissue analysis of potassium deficiency and a disorder resembling potassium deficiency in Thompson Seedless grapevines. 41:77-83.
See J. T. Andrews. 41:116-20.

- Cilliers, J. J. L., and V. L. Singleton. Research note. Nonenzymic autoxidative reactions of caffeic acid in wine. 41:84-6.

- Cirami, R. M. See M. G. McCarthy. 41:126-30.

- Clary, C. D., R. E. Steinhauer, J. E. Frisinger, and T. E. Pepper. Evaluation of machine- vs. hand-harvested Chardonnay. 41:176-81.

- Conradie, W. J. Distribution and translocation of nitrogen absorbed during late spring by two-year-old grapevines grown in sand culture. 41:241-50.

- Cook, M. K. See T. K. Wolf. 41:330-41.

- Correa-Gorospe, I. See R. Rodriguez-Clemente. 41:16-20.

- Cottingham, C. K. See T. K. Wolf. 41:330-41.

- Cox, D. J., and T. Henick-Kling. A comparison of lactic acid bacteria for energy-yielding (ATP) malolactic enzyme systems. 41:215-18.

D

- De Castro, J. J. See R. Rodriguez-Clemente. 41:16-20.

- Degré, R. See C. Boone. 41:37-42.

- de la Teja, P. See S. Fujinawa. 41:350-4.

- Delgado, T., C. Gomez-Cordoves, and B. Villaroya. Relationships between phenolic compounds of low molecular weight as indicators of the aging conditions and quality of brandies. 41:342-5.

- Domecq, B. See M. A. Botella. 41:12-15.

- Duprat, F. See V. Cheyrier. 41:346-9.

- Duteurtre, B. See M. J. LeRoy. 41:21-8.

E

- Echavarri, J. F. See A. Negueruela. 41:232-40.

- Edwards, C. G., R. B. Beelman, C. E. Bartley, and A. L. McConnell. Production of decanoic acid and other volatile compounds and the growth of yeast and malolactic bacteria during vinification. 41:48-56.

- Ellersieck, M. See J. T. Andrews. 41:116-20.

- English, J. T., A. M. Bledsoe, J. J. Marois, and W. M. Kliever. Influence of grapevine canopy management on evaporative potential in the fruit zone. 41:137-41.

F

- Feuillat, M. See M. J. LeRoy. 41:21-8.

- Flores, J. H., D. A. Heatherbell, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on White Riesling and

Volume 41 (1990)

Author Index

A

- Adams, D. O., K. E. Franke, and L. P. Christensen. Elevated putrescine levels in grapevine leaves that display symptoms of potassium deficiency. 41:121-5.
- Ambatlle-Espunyes, A. See M. C. Vidal-Carou. 41:160-7.
- An, D. See C. S. Ough. 41:68-73.
- Andrews, J. T., H. Heymann, and M. Ellersieck. Sensory and chemical analyses of Missouri Seyval blanc wines. 41:116-20.
- Arnold, R. A., and A. M. Bledsoe. The effect of various leaf removal treatments on the aroma and flavor of Sauvignon blanc wine. 41:74-6.
- Assemi, M. See J. L. Smilanick. 41:131-6.

B

- Barbas, J. I. See J. Mora. 41:156-9.
- Barre, P. See M. Bely. 41:319-24.
- Bartley, C. E. See C. G. Edwards. 41:48-56.
- Bass, A. W. See K. Ophel. 41:325-9.
- Bates, R. P. See C. A. Sims. 41:182-5, 273-6.
- Beelman, R. B. See C. G. Edwards. 41:48-56.
- Bely, M., J. M. Sablayrolles, and P. Barre. Description of the alcoholic fermentation kinetics: Its variability and significance. 41:319-24.
- Ben-Tal, Y. Effects of gibberellin treatments on ripening and berry drop from Thompson Seedless grapes. 41:142-6.
- Bhutani, V. P. See V. K. Joshi. 41:229-31.
- Bianchi, M. See L. P. Christensen. 41:77-83.
- Brillouet, J.-M., C. Bosso, and M. Moutounet. Isolation, purification, and characterization of an arabinogalactan from a red wine. 41:29-36.
- Bisson, L. F. See L. S. Lagace. 41:147-55.
- Blaise, A. See M. Goetghebeur. 41:295-300.
- Bledsoe, A. M. See R. A. Arnold. 41:74-6.
See J. T. English. 41:137-41.
- Boggero, J. See L. P. Christensen. 41:77-83.
- Boone, C., A.-M. Sdicu, J. Wagner, R. Degré, C. Sanchez, and H. Bussey. Integration of the yeast K1 killer toxin gene into the genome of marked wine yeasts and its effect on vinification. 41:37-42.
- Borrull, F. See R. M. Marcé. 41:289-94.
- Bosso, C. See J.-M. Brillouet. 41:29-36.
- Botella, M. A., L. Perez-Rodriguez, B. Domecq, and V. Valpuesta. Amino acid content of fino and oloroso sherry wines. 41:12-15.
- Boyle, T. A., and L. Hsu. Identification and quantitation of ellagic acid in muscadine grape juice. 41:43-7.
- Brun, S. See M. Goetghebeur. 41:295-300.
- Burns, G. See S. Fujinawa. 41:350-4.
- Bussey, H. See C. Boone. 41:37-42.

C

- Cabezudo, M. D. See T. Herraiz. 41:313-18.
- Calull, M. See R. M. Marcé. 41:289-94.

- Chambers, K. R. Benzyl alcohol as an inhibitor of the development of *Botrytis cinerea* in vitro and in packed table grapes. 41:265-8.

- Charpentier, C. See M. J. LeRoy. 41:21-8.

- Charpentier, M. See M. J. LeRoy. 41:21-8.

- Cheyrier, V., J. Rigaud, J.-M. Souquet, F. Duprat, and M. Moutounet. Must browning in relation to the behavior of phenolic compounds during oxidation. 41:346-9.

- Christensen, L. P., J. Boggero, and M. Bianchi. Comparative leaf tissue analysis of potassium deficiency and a disorder resembling potassium deficiency in Thompson Seedless grapevines. 41:77-83.
See J. T. Andrews. 41:116-20.

- Cilliers, J. J. L., and V. L. Singleton. Research note. Nonenzymic autoxidative reactions of caffeic acid in wine. 41:84-6.

- Cirami, R. M. See M. G. McCarthy. 41:126-30.

- Clary, C. D., R. E. Steinhauer, J. E. Frisinger, and T. E. Pepper. Evaluation of machine- vs. hand-harvested Chardonnay. 41:176-81.

- Conradie, W. J. Distribution and translocation of nitrogen absorbed during late spring by two-year-old grapevines grown in sand culture. 41:241-50.

- Cook, M. K. See T. K. Wolf. 41:330-41.

- Correa-Gorospe, I. See R. Rodriguez-Clemente. 41:16-20.

- Cottingham, C. K. See T. K. Wolf. 41:330-41.

- Cox, D. J., and T. Henick-Kling. A comparison of lactic acid bacteria for energy-yielding (ATP) malolactic enzyme systems. 41:215-18.

D

- De Castro, J. J. See R. Rodriguez-Clemente. 41:16-20.

- Degré, R. See C. Boone. 41:37-42.

- de la Teja, P. See S. Fujinawa. 41:350-4.

- Delgado, T., C. Gomez-Cordoves, and B. Villaroya. Relationships between phenolic compounds of low molecular weight as indicators of the aging conditions and quality of brandies. 41:342-5.

- Domecq, B. See M. A. Botella. 41:12-15.

- Duprat, F. See V. Cheyrier. 41:346-9.

- Duteurtre, B. See M. J. LeRoy. 41:21-8.

E

- Echavarri, J. F. See A. Negueruela. 41:232-40.

- Edwards, C. G., R. B. Beelman, C. E. Bartley, and A. L. McConnell. Production of decanoic acid and other volatile compounds and the growth of yeast and malolactic bacteria during vinification. 41:48-56.

- Ellersieck, M. See J. T. Andrews. 41:116-20.

- English, J. T., A. M. Bledsoe, J. J. Marois, and W. M. Kliever. Influence of grapevine canopy management on evaporative potential in the fruit zone. 41:137-41.

F

- Feuillat, M. See M. J. LeRoy. 41:21-8.

- Flores, J. H., D. A. Heatherbell, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on White Riesling and

- Gewürztraminer wine composition and stability. 41:207-14.
 Fouse, D. C. See J. L. Smilanick. 41:131-6.
 Franke, K. E. See D. O. Adams. 41:121-5.
 Frisinger, J. E. See C. D. Clary. 41:176-81.
 Fujinawa, S., G. Burns, and P. de la Teja. Technical brief. Application of acid urease to reduction of urea in commercial wines. 41:350-4.

G

- Galzy, P. See M. Goetghebeur. 41:295-300.
 Goetghebeur, M., M. Nicolas, A. Blaise, S. Brun, and P. Galzy. Wine benzyl alcohol oxidase: Isolation and characterization. 41:295-300.
 Gomez-Cordoves, C. See T. Delgado. 41:342-5.

H

- Hamman, R. A. Jr., A. R. Renquist, and H. G. Hughes. Pruning effects on cold hardiness and water content during deacclimation of Merlot bud and cane tissues. 41:251-60.
 Harris, C. M. See J. L. Smilanick. 41:131-6.
 Hartsell, P. L. See J. L. Smilanick. 41:131-6.
 Harvey, J. M. See J. L. Smilanick. 41:131-6.
 Heatherbell, D. A. D. J. Cox. 41:215-18.
 See J. H. Flores. 41:207-14.
 Henick-Kling, T. See I.-M. Tegmo-Larsson. 41:189-92, 41:269-72.
 Hensen, D. J. See J. L. Smilanick. 41:131-6.
 Herraiz, T., G. Reglero, M. Herraiz, P. J. Martin-Alvarez, and M. D. Cabezudo. The influence of yeast and type of culture on the volatile composition of wines fermented without sulfur dioxide. 41:313-18.
 Herraiz, M. See T. Herraiz. 41:313-18.
 Heymann, H. 41:116-20.
 Hooper, R. L. See P. D. Scudamore-Smith. 41:57-67.
 Hsu, L. See T. A. Boyle. 41:43-7.
 Huang, A. See C. S. Ough. 41:68-73.
 Hughes, H. G. See R. A. Hamman, Jr. 41:251-60.

IJK

- Iodi, M. See J. C. Morrison. 41:301-5.
 James, D. See P. L. Monette. 41:201-3.
 Jaworski, A. See C. Y. Lee. 41:87-9.
 Johnson, R. P. See C. A. Sims. 41:182-5, 273-6.
 Joshi, V. K., V. P. Bhutani, and R. C. Sharma. The effect of dilution and addition of nitrogen source on chemical, mineral, and sensory qualities of wild apricot wine. 41:229-31.
 Kantz, K., and V. L. Singleton. Isolation and determination of polymeric polyphenols using Sephadex LH-20 and analysis of grape tissue extracts. 41:223-8.
 Kliewer, W. M. See J. T. English. 41:137-41.
 See J. Perez. 41:168-75.

L

- Lagace, L. S., and L. F. Bisson. Survey of yeast acid proteases for effectiveness of wine haze reduction. 41:147-55.
 Léauté, R. Distillation in alambic. 41:90-103.
 Lee, C. Y., and A. W. Jaworski. Research note. Identification of some phenolics in white grapes. 41:87-9.
 See J. Oszmianski. 41:204-6.

- LeRoy, M. J., M. Charpentier, B. Duteurtre, M. Feuillat, and C. Charpentier. Yeast autolysis during Champagne aging. 41:21-8.

- Lima, J. L. F. C., and A. O. S. S. Rangel. Determination of metallic cations in wines by flow injection analysis. 41:284-8.

- Los Arcos, M. L. See A. Negueruela. 41:232-40.
 Lopez de Castro, M. P. See A. Negueruela. 41:232-40.
 Loureiro, V. See M. Malfieto-Ferreira. 41:219-22.

M

- Magarey, P. A. See K. Ophel. 41:325-9.
 Malfieto-Ferreira, M., J. P. Miller-Guerra, and V. Loureiro. Proton extrusion as indicator of the adaptive state of yeast starters for the continuous production of sparkling wines. 41:219-22.
 Marcé, R. M., M. Calull, F. Borrell, and F. X. Rius. Determination of the major carboxyl acids in wine by an optimized HPLC method with linear gradient elution. 41:289-94.
 Mariné-Font, A. See M. C. Vidal-Carou. 41:160-7.
 Marois, J. J. See J. T. English. 41:137-41.
 Martin-Alvarez, P. J. See T. Herraiz. 41:313-18.
 McCarthy, M. G., and R. M. Cirami. The effect of rootstocks on the performance of Chardonnay from a nematode-infested Barossa Valley vineyard. 41:126-30.
 McConnell, A. L. See C. G. Edwards. 41:48-56.
 McDaniel, M. R. See J. H. Flores. 41:207-14.
 McLaren, E. D. See P. D. Scudamore-Smith. 41:57-67.
 Miller-Guerra, J. P. See M. Malfieto-Ferreira. 41:219-22.
 Monette, P. L., and D. James. The use of *Nicotiana benthamiana* as an herbaceous receptor host for closteroviruses from leafroll-affected vines. 41:201-3.
 Mora, J., J. I. Barbas, and A. Mulet. Growth of yeast species during the fermentation of musts inoculated with *Kluyveromyces thermotolerans* and *Saccharomyces cerevisiae*. 41:156-9.
 Morrison, J. C., and M. Iodi. The influence of waterberry on the development and composition of Thompson Seedless grapes. 41:301-5.
 ———, and A. C. Noble. The effects of leaf and cluster shading on the composition of Cabernet Sauvignon grapes and on fruit and wine sensory properties. 41:193-200.
 See M. W. Silacci. 41:111-15.
 Motomura, Y. Distribution of ¹⁴C-assimilates from individual leaves into clusters and grape shoots. 41:306-12.
 Moutounet, M. See J.-M. Brillouet. 41:29-36.
 See V. Cheynier. 41:346-9.
 Mulet, A. See J. Mora. 41:156-9.

N

- Negueruela, A. I., J. F. Echavarri, M. L. Los Arcos, and M. P. Lopez de Castro. Study of color of quaternary mixtures of wines by means of the Sheffé design. 41:232-40.
 Nicolas, P. R. See K. Ophel. 41:325-9.
 Nicolas, M. See M. Goetghebeur. 41:295-300.
 Noble, A. C. See J. C. Morrison. 41:193-200.

OPQ

- Ophel, K., P. R. Nicolas, P. A. Magarey, and A. W. Bass. Hot water treatment of dormant grape cuttings reduces crown

- gall incidence in a field nursery. 41:325-9.
- Oszmianski, J., and C. Y. Lee. Isolation and HPLC determination of phenolic compounds in red grapes. 41:204-6.
- Ough, C. S., D. Stevens, T. Sendovski, A. Huang, and D. An. Factors contributing to urea formation in commercially fermented wines. 41:68-73.
- Perez, J., and W. M. Kliever. Effect of shading on bud necrosis and bud fruitfulness of Thompson Seedless grapevines. 41:168-75.
- Perez-Rodriguez, L. See M. A. Botella. 41:12-15.
- R**
- Radler, F. Possible use of Nisin in winemaking. I. Action of Nisin against lactic acid bacteria and wine yeasts in solid and liquid media. 41:1-6.
- _____. Possible use of Nisin in winemaking. II. Experiment to control lactic acid bacteria in the production of wine. 41:7-11.
- Rangel, A. O. S. S. See J. L. F. C. Lima. 41:284-8.
- Reglero, G. See T. Herraiz. 41:313-18.
- Rius, F. X. See R. M. Marcé. 41:289-94.
- Renquist, A. R. See R. A. Hamman, Jr. 41:251-60.
- Rodriguez-Clemente, R., I. Correa-Gorospe, and J. J. De Castro. A new method for the stabilization of wines with respect to the potassium bitartrate precipitation. 41:16-20.
- Rigaud, J. See V. Cheynier. 41:346-9.
- S**
- Sablayrolles, J. M. See M. Bely. 41:319-24.
- Sanchez, C. See C. Boone. 41:37-42.
- Scudamore-Smith, P. D., R. L. Hooper, and E. D. McLaren. Color and phenolic changes of Cabernet Sauvignon wine made by simultaneous yeast/bacterial fermentation and extended pomace contact. 41:57-67.
- Sdicu, A.-M. See C. Boone. 41:37-42.
- Sefton, M. A. See P. Winterhalter. 41:277-83.
- Sendovski, T. See C. S. Ough. 41:68-73.
- Sharma, R. C. See V. K. Joshi. 41:229-31.
- Silacci, M. W., and J. C. Morrison. Changes in pectin content of Cabernet Sauvignon grape berries during maturation. 41:111-15.
- Sims, C. A., R. P. Bates, and R. P. Johnson. Research note. Comparison of pre- and post-fermentation ultrafiltration on the characteristics of sulfited and non-sulfited white wines. 41:182-5.
- _____, _____, and _____. Effects of mechanical pruning on the yield and quality of muscadine grapes. 41:273-6.
- Singleton, V. L. See K. Kantz. 41:223-8.
- _____. See J. J. L. Cilliers. 41:84-6.
- Smilanick, J. L., J. M. Harvey, P. L. Hartsell, D. J. Hensen, C. M. Harris, D. C. Fouse, and M. Assemi. Factors influencing sulfite residues in table grapes after sulfur dioxide fumigation. 41:131-6.
- Souquet, J.-M. See V. Cheynier. 41:346-9.
- Steinhauer, R. E. See C. D. Clary. 41:176-81.
- Stevens, D. See C. S. Ough. 41:68-73.
- Stevens, D. See C. S. Ough. 41:68-73.
- T**
- Tegmo-Larsson, I.-M., and T. Henick-Kling. Ethyl carbamate precursors in grape juice and the efficiency of acid urease on their removal. 41:189-92.
- _____, and _____. The effect of fermentation and extended lees contact on ethyl carbamate formation in New York wine. 41:269-72.
- UV**
- Ulla-Ulla, M. C. See M. C. Vidal-Carou. 41:160-7.
- Valpuestá, V. See M. A. Botella. 41:12-15.
- Vidal-Carou, M. C., A. Ambatlle-Espunyes, M. C. Ulla-Ulla, and A. Mariné-Font. Histamine and tyramine in Spanish wines: their formation during the winemaking process. 41:160-7.
- Villaroya, B. See T. Delgado. 41:342-5.
- WXYZ**
- Wagner, J. See C. Boone. 41:37-42.
- Williams, P. J. See P. Winterhalter. 41:277-83.
- Winterhalter, P., M. A. Sefton, and P. J. Williams. Volatile C₁₃-norisoprenoid compounds in Riesling wine are generated from multiple precursors. 41:277-83.
- Wolf, T. K., B. W. Zoecklein, M. K. Cook, and C. K. Cottingham. Shoot topping and ethephon effects on White Riesling grapes and grapevines. 41:330-41.
- Zoecklein, B. W. See T. K. Wolf. 41:330-41.

Volume 41 (1990) Subject Index

A

- Acid(s). See also specific acid.
- amino. See Amino acid.
 - caffeic. autoxidative reactions of in wine. 41:84-6.
 - caftaric. autoxidative reactions of in wine. 41:84-6.
 - carboxylic. 41:289-94.
 - chlorogenic acid. 41:84-6.
 - decanoic. production during vinification. 41:48-56.
 - ellagic. identification and quantification. 41:43-7.
 - gallic. in muscadine juice. 41:43-7.
 - hydroxycinnamic. 41:346-9.
 - urease. for removal of ethyl carbamate precursors. 41:189-92, 350-4.
- Aging. assessment of bottle-aging potential. 41:277-83.
- brandy. 41:342-5.
 - Champagne. 41:21-8.
 - oak. 41:342-5.
- Aglycons. 41:277-83.
- Agrobacterium tumefaciens*. 41:325-9.
- Alambic distillation. 41:90-103.
- Alcoholic fermentation. See also Fermentation.

- kinetics. 41:319-24.
- Alpha-amino nitrogen. factor in urea accumulation. 41:58-73.
- Amine(s). in Thompson Seedless wines. 41:77-83, 121-5.
biogenic. formation during winemaking. 41:160-7.
- Amino acid(s). in sherry wines. 41:12-15.
- Ammonium. in leaf tissue of Thompson Seedless vines. 41:77-83.
- Analysis. of grape tissue extracts. 41:223-8.
of metallic cations. 41:284-8.
of phenolics in red grapes. 41:204-6.
of phenolics in white grapes. 41:87-9.
of polymeric polyphenols. 41:223-8.
of vitispirane precursors. 41:277-83.
of wine sensory qualities. 41:74-6, 116-20.
- Apricot wine. 41:229-31.
- Arabinogalactan. isolation, purification, and characterization of from a red wine. 41:29-36.
- Aroma, wine. Missouri Seyval blanc sensory and chemical analysis. 41:116-20.
Sauvignon blanc leaf removal effects on. 41:74-6.
- Autolysis, yeast. in Champagne aging. 41:121-8.
- Autoxidation in wine. 41:84-6.
- B**
- Bentonite. alternatives to in wine haze reduction. 41:147-55.
- Benzyl alcohol. *Botrytis cinerea* inhibition by. 41:265-8.
- Benzyl alcohol oxidase. 41:295-300.
- Berry, grape. See also Grape.
drop. gibberellin treatments effects on. 41:142-6.
enlargement. gibberellin treatments effects on. 41:142-6.
gibberellin effects on. 41:142-6.
pectin content changes in during maturation. 41:111-15.
ripening. See also Ripening.
delay in. 41:142-6.
pectin content changes during. 41:111-15.
shading effects on. 41:193-200.
- Biogenic amines. formation of during winemaking. 41:160-7.
- Bitter almond taste in wine. ¹⁴C-assimilates. 41:306-12, 295-300.
- Blending, wine. color study of blends by Sheffé design. 41:232-40.
- Bottle aging. potential assessment. 41:277-83.
- Botrytis cinerea*. benzyl alcohol inhibition of during grape storage. 41:265-8.
control of by canopy management to increase evaporative potential. 41:137-41.
control of by sulfur dioxide fumigation of table grapes. 41:131-6.
- Brandy. alambic distillation. 41:90-103.
- Browning, must. 41:346-9.
wine. caffeic acid effects on. 41:84-6.
- Bud, grapevine. See also Grapevine.
fruitfulness. shading effects on. 41:138-75.
necrosis. shading effects on. 41:168-75.
- Bunch rot. See *Botrytis cinerea*.
- C**
- ¹⁴C-assimilates. 41:306-12.
- C₁₃-norisoprenoid compounds. 41:277-83.
- Cabernet Sauvignon grapevines. See also Grapevine(s).
pectin contact changes in berries. 41:111-15.
shading effects on fruit sensory properties. 41:193-200.
- Cabernet Sauvignon wine. color changes during fermentation and pomace contact. 41:57-67.
leaf and cluster shading effects on sensory qualities. 41:193-200.
phenolic changes during fermentation and pomace contact. 41:57-67.
- Caffeic acid. autoxidative reactions of in wine. 41:84-6.
- Caftaric acid. autoxidative reactions in wine. 41:84-6.
- Canopy management. *Botrytis cinerea* control. 41:137-41.
bud necrosis control. 41:168-75.
Cabernet Sauvignon. shading effects on wine sensory qualities. 41:193-200.
evaporative potential in fruit zone. 41:137-41.
fruitfulness. effects on. 41:168-75.
muscadine. mechanical pruning. 41:273-6.
Riesling vines. 41:330-41.
Sauvignon blanc vines. 41:74-6.
shoot tipping and ethephon treatments effects on Riesling. 41:330-47.
- Carbohydrate(s). colloids in wine. 41:29-36.
- Carbon dioxide production rate in alcoholic fermentation. 41:319-24.
- Carboxylic acids in wine. 41:289-94.
- Catechin-gallates in white grapes. 41:87-9.
- Cava. 41:16-20.
- Champagne. stabilization. 41:16-20.
yeast autolysis during aging. 41:21-8.
- Chardonnay grapevines. harvesting techniques. 41:176-81.
rootstock effects on nematode resistance. 41:156-30.
- Chemiosmotic energy. 41:215-18.
- Chlorogenic acid. 41:84-6.
- Chromatography. affinity. grape polysaccharide identification. 41:29-36.
droplet counter-current (DCCC). vitispirane precursor analysis. 41:277-83.
gel permeation. polysaccharide purification. 41:29-36.
high performance liquid. caffeic acid determination in wine. 41:84-6.
carboxylic acids determinations in wine. 41:289-94.
ellagic acid identification and quantification. 41:43-7.
phenolic acid and aldehyde concentrations. 41:342-5.
phenolic compounds determination in red grapes. 41:204-6.
polymeric polyphenols isolation and determination. 41:223-8.
ion exchange. grape polysaccharides purification. 41:29-36.
- Closteroviruses. 41:201-3.
- Cluster shading effects on Cabernet Sauvignon fruit and wine sensory qualities. 41:193-200.
- Cognac. alambic distillation. 41:90-103.
- Cold hardiness, grapevine. pruning effects on *Vitis vinifera*. 41:251-60.
- Color, wine. changes during simultaneous yeast/bacterial fermentation and extended pomace contact. 41:57-67.
Missouri Seyval blanc. 41:116-20.
Sheffé design to describe color response. 41:232-40.
ultrafiltration effects on. 41:182-5.

Crossflow filtration. 41:182-5.
Crown gall control. 41:235-9.
Cuvaion. 41:57-67.

D

Deacclimation, *Vitis vinifera*. pruning effects on cold hardiness and water content. 41:251-60.
Decanoic acid production during vinification. 41:48-56.
Descriptive sensory analysis. of Missouri Seyval blanc wines. 41:116-20.
of Sauvignon blanc wines. 41:74-6.
of Seyval blanc wines. 41:116-20.
Dessèchement de la rafle. 41:301-5.
Disease, grapevine. See also specific disease.
Botrytis cinerea. 41:137-41.
¹⁴C-assimilates. 41:306-12.
crown gall. 325-9.
leafroll. 41:201-3.
virus. 41:201-3.
Distillation, alambic. 41:90-103.
Distribution. of ¹⁴C-assimilates. 41:306-12.
of nitrogen in grapevines. 41:241-50.
Droplet counter-current chromatography (DCCC). See Chromatography.

E

Electron microscopy. virus identification. 41:201-3.
Ellagic acid. identification and quantification in muscadine juice. 41:43-7.
Enzymatic hydrolysis. arabinogalactan. 41:29-36.
Enzyme(s). malolactic systems. 41:215-18.
inhibition. 41:295-300.
purification. 41:295-300.
Ethephon treatment of Riesling vines. 41:330-41.
Ethyl carbamate. factors contributing to urea formation. 41:68-73, 350-4.
fermentation and extended lees contact effects on formation. 41:269-72.
precursors in grape juice. 41:189-92.
urea reduction. 41:350-4.
Evaporation potential in fruit zone of grapevine canopy. 41:167-41.

F

False potassium. 41:77-83.
Fermentation. alcoholic. biogenic amine formation. 41:160-7.
kinetic. 41:319-24.
commercial. urea formation in wine. 41:68-73.
ethyl carbamate formation during. 41:68-73, 189-92, 269-72.
histamine formation. 41:160-7.
malolactic. See also Malolactic fermentation.
biogenic amines formation. 41:160-7.
lactic acid bacteria comparisons for energy yielding (ATP) malolactic enzyme systems. 41:215-18.
simultaneous yeast/bacterial. 41:57-67.
tyramine formation. 41:160-7.
without sulfur dioxide. 41:313-18.
Fino sherry acid content. 41:12-15.
Flavor, wine. bitter almond taste. 41:295-300.
Missouri Seyval blanc sensory and chemical analysis. 41:116-20.

precursors. 41:277-83.

Flow injection analysis of metallic actions in wine. 41:284-8.
Fruit rot. 41:330-41.
Fumigation. sulfur dioxide on table grapes. 41:131-6.

G

Genomic integration of yeast K1 killer toxin gene. 41:37-42.
Gewürztraminer wine. ultrafiltration effects on composition and stability. 41:207-14.
Gibberellin. effects of ripening and berry drop in Thompson Seedless. 41:142-6.
Glutathione. 41:346-9.
Glycoconjugates. 41:277-83.
Grape(s). arabino-3,6-galactan. 41:29-36.
berry. See also Berry.
drop. 41:142-6.
enlargement. 41:142-6.
mechanical pruning effects on yield and quality of muscadine. 41:273-6.
pectin content changes in during maturation. 41:111-15.
composition. leaf and cluster shading effects on. 41:193-200.
phenolics identification. 41:87-9, 204-6.
polysaccharides. 41:29-36.
Sauvignon blanc. leaf removal treatments. 41:74-6.
shading effects on bud necrosis and fruitfulness. 41:168-75.
storage. benzyl alcohol use for *Botrytis cinerea* inhibition. 41:265-8.
sulfur dioxide fumigation of table grapes. 41:131-6.
shoots. ¹⁴C-assimilate distribution. 41:306-12.
table. See also Table grapes.
storage. 41:131-6.
tissue extract analysis. 41:223-8.
variety tissue analysis. 41:223-8.
waterberry. 41:301-5.
white. phenolics. 41:87-9.
Grapevine(s). See also specific varieties.
bud necrosis and fruitfulness. 41:168-75.
tissue response to low temperature exotherm. 41:251-60.
¹⁴C-assimilate distribution. 41:306-12.
Cabernet Sauvignon. leaf and cluster shading effects on fruit and wine sensory qualities. 41:193-200.
pectin content of berries during maturation. 41:111-15.
cane tissue responses to low temperature exotherm. 41:251-60.
canopy management. effect on fruit and wine sensory qualities. 41:193-200.
evaporative potential in fruit zone. 41:137-41.
Sauvignon blanc vines. 41:74-6.
shading effects on bud necrosis and fruitfulness. 41:168-75.
Chardonnay. harvesting techniques. 41:176-81.
rootstock effects on performance in nematode-infected vineyard. 41:126-30.
cluster shading. 41:193-200.
cold hardiness. pruning effects on. 41:251-60.
crown gall. 41:325-9.
disease. See Disease.
ethephon treatments. 41:330-41.
false potassium. 41:77-83.

- gibberellin treatments. 41:142-6.
- harvesting techniques. 41:176-81.
- leaf removal treatments. 41:74-6.
- leaf shading effects. 41:193-200.
- Merlot. pruning effects on cold hardiness and water content. 41:251-60.
- mineral nutrition. 41:77-83, 241-50.
- muscadine. mechanical pruning. 41:273-6.
- nematode resistance. 41:126-30.
- nitrogen distribution and translocation. 41:241-50.
- pruning. effects on cold hardiness of Merlot cane and bud tissues. 41:251-60.
- mechanical on muscadine. 41:273-6.
- potassium deficiency. 41:77-83, 121-5.
- putrecine levels. 41:121-5.
- Riesling. shoot tipping and ethephon treatment. 41:330-41.
- Thompson Seedless. bud necrosis and bud fruitfulness. 41:168-75.
- gibberellin treatment of. 41:142-6.
- potassium deficiency. 41:77-83, 121-5.
- virus. *Nicotiana benthamiana* as receptor host. 41:201-3.
- Vitis vinifera*. pruning effects on cold hardiness and water content. 41:241-60.

H

- Harvesting techniques. hand- vs. machine harvesting of Chardonnay. 41:176-81.
- Haze, wine. yeast acid proteases for reduction. 41:147-55.
- Hedging. Riesling vines. 41:330-41.
- Herbaceous receptor host for closteroviruses from leafroll-infected vines. 41:201-3.
- High performance liquid chromatography. See Chromatography.
- Histamine formation during winemaking. 41:160-7.
- Hot water treatment for crown gall. 41:325-9.
- HPLC. See Chromatography.
- Hydroxycinnamic acids. 41:346-9.

I

- Identification. of arabinogalactan. 41:29-36.
- of catechin-gallates in white grapes. 41:87-9.
- of ellagic acid. 41:43-7.
- of phenolics in red grapes. 41:223-8.
- of phenolics in white grapes. 41:87-9.
- virus. 41:201-3.
- Immunosorbent electron microscopy (ISEM) for virus identification. 41:201-3.
- Inhibitor(s). of KHT precipitation. 41:16-20.
- Inoculation. of *Kluyveromyces thermotolerans* to must. 41:156-9.
- of *Saccharomyces cerevisiae* to must. 41:156-9.
- Insoluble grape solids. effects on decanoic acid production during vinification. 41:48-56.
- effects on malolactic bacteria during vinification. 41:48-56.
- ISEM. See Immunosorbent electron microscopy.
- Isolation. of phenolic compounds in red grapes. 41:204-6.
- of phenolic compound in white grapes. 41:87-9.

JK

- Juice, grape. ellagic acid in. 41:43-7.
- ethyl carbamate precursors in. 41:269-72.

muscadine. 41:43-7.

- K1 killer toxin gene. 41:37-42.
- K1/K2 double killer strains. 41:37-42.
- Kinetic description of alcoholic fermentation. 41:319-24.
- Kloeckera apiculata* for wine haze reduction. 41:147-55.
- influence on volatile composition of wine fermented without sulfur dioxide. 41:313-18.
- Kluyveromyces thermotolerans*. yeast strains growth during fermentation of musts inoculated with. 41:156-9.

L

- Lactic acid bacteria. comparison of for energy-yielding (ATP) malolactic enzyme systems. 41:215-18.
- control of in winemaking. 41:7-11.
- Nisin sensitivity. 41:1-6, 7-11.
- Lactobacillus*. Nisin sensitivity. 41:1-6, 7-11.
- Leaf, grapevine. removal effects on Sauvignon blanc wine sensory qualities. 41:74-6.
- shading effects on Cabernet Sauvignon fruit and wine sensory properties. 41:193-200.
- tissue analysis. 41:77-83, 121-5.
- Leafroll. 41:201-3.
- Leuconostoc oenos*. insoluble grape solids influence on fermentation. 41:48-56.
- Nisin sensitivity. 41:1-6, 7-11.
- Light intensity effects on bud necrosis and bud fruitfulness of Thompson Seedless. 41:168-75.
- Low temperature exotherm. responses of bud and cane tissues of *Vitis vinifera*. 41:251-60.

M

- Malate catabolism. 41:215-18.
- Malolactic bacteria. growth during vinification. 41:43-56.
- Malolactic fermentation. biogenic amine formation during. 41:160-7.
- Cabernet Sauvignon wines. 41:57-67.
- color and phenolic changes. 41:57-67.
- decanoic acid production. 41:48-56.
- energy-yielding (ATP) enzyme systems. 41:215-18.
- Nisin effects on. 41:1-6, 7-11.
- Mechanical harvesting. See also Harvesting.
- of Chardonnay. 41:176-81.
- Mechanical pruning of muscadine. 41:273-6.
- Merlot grapevines. pruning effects on cold hardiness and water content during deacclimation of cane and bud tissue. 41:251-60.
- Metallic cations in wine. 41:284-8.
- Microclimate, grapevine. See also Canopy management.
- Botrytis cinerea* control. 41:137-41.
- evaporative potential in the fruit zone. 41:137-41.
- leaf and cluster shading of Cabernet Sauvignon. 41:193-200.
- shading effects on bud necrosis and fruitfulness. 41:168-75.
- Microvinification. color and phenolic changes in Cabernet Sauvignon wine. 41:57-67.
- genomic integration of yeast K1 killer toxin into wine yeasts. 41:37-42.
- Mineral composition of apricot wine. 41:229-31.
- Mineral nutrition, grapevines. nitrogen distribution and translocation. 41:241-50.

- Thompson Seedless. 41:77-84, 121-5.
 Muscadine grapevines. pruning effects on yield and quality. 41:273-6.
 Must oxidation. 41:346-9.

N

- Necrosis. shading effects on in Thompson Seedless. 41:168-75.
 Nematode-resistant rootstock. 41:126-30.
Nicotiana benthamiana as herbaceous receptor host for closteroviruses from leafroll-affected grapevines. 41:201-3.
 Nisin. 41:1-6, 7-11.
 Nitrogen. distribution in vine. 41:241-850.
 in leaf tissue of Thompson Seedless. 41:77-83.
 spring-applied. 41:241-50.
 translocation. 41:241-50.

OPQ

- Oloroso sherry acid content. 41:12-15.
 Oxidation. must. 41:346-9.
 wine. of caffeic acid. 41:84-6.
 Pectin content of maturing Cabernet Sauvignon berries. 41:111-15.
Pediococcus. sensitivity to Nisin. 41:1-6, 7-11.
 Phenolic(s). acids and aldehydes in brandies. 41:342-5.
 behavior during must oxidation. 41:346-9.
 changes in Cabernet Sauvignon wines made by simultaneous yeast/bacterial fermentation and pomace contact. 41:57-67.
 identification in red grapes. 41:204-6.
 in white grapes. 41:87-9.
 Phloem transport. 41:301-5.
 Phyllotaxis. 41:306-12.
 Polyamines in grapevine leaves. 41:77-83, 121-5.
 Polymeric phenols in grape tissue extracts. 41:223-8.
 Polyphenols in grape tissue extracts. 41:223-8.
 Polysaccharides in red wine. 41:29-36.
 Pomace contact effects on color and phenolics in Cabernet Sauvignon wine. 41:57-67.
 Potassium. bitartrate. inhibitors in wine. 41:16-20.
 precipitation in wine stabilization. 41:16-20.
 deficiency. in Thompson Seedless vines. 41:77-83, 121-5.
 false. 41:77-83.
 Precipitation. potassium bitartrate. 41:16-20.
 Precursors of ethyl carbamate. 41:68-73, 189-92, 269-72.
 Proline content in sherry. 41:12-15.
 Propagation material, crown gall control in. 41:235-9.
 Proteases, yeast acid. effectiveness in wine haze reduction. 41:147-55.
 Protein stability. haze formation in wine. 41:147-55.
 Proton extrusion as an indicator of adaptive state if yeast starters for continuous sparkling wine production. 41:219-22.
 Pruning effects on cold hardness of Merlot. 41:251-60.
 effects on yield and quality of muscadine. 41:273-6.
 Putrecine in grapevines displaying symptoms of potassium deficiency. 41:77-83, 121-5.

R

- Red wine. See Wine.
 Reserve nitrogen, grapevine. See Nitrogen.

- Riesling grapevines. shoot tipping and ethephon treatment. 41:330-41.
 Riesling wine. C₁₃-norisoprenoid compounds in. 41:277-83.
 Ripening, grape. berry pectin content changes during. 41:111-15.
 delay. 41:142-6.
 gibberellin treatments. 41:142-6.
 shading effects on Cabernet Sauvignon. 41:193-200.
 waterberry effects on. 41:301-5.
 Rootstock(s). Chardonnay performance. 41:126-30.
 crown gall control. 41:325-9.
 nematode resistance. 41:126-30.
 non-*vinifera*. 41:126-30.

S

- Saccharomyces cerevisiae*. Champagne aging. 41:21-9.
 growth of yeast species during fermentation of musts inoculated with. 41:156-9.
 influence on volatile composition of wines fermented with-out sulfur dioxide. 41:313-18.
 insoluble grape solids influence on fermentation. 41:57-56.
 Sauvignon blanc wines. leaf removal treatments effects on aroma and flavor. 41:74-6.
 Sensory. analysis of wine. Missouri Seyval blanc. 41:116-20.
 properties of Cabernet Sauvignon fruit and wine, shading effects on. 41:193-200.
 quality. nitrogen source effect on apricot wine. 41:229-31.
 ultrafiltration effects on. 41:182-5.
 vine leaf removal effects on. 41:74-6.
 Seyval blanc wine. sensory and chemical analysis. 41:116-20.
 Shading. effects on bud necrosis and fruitfulness. 41:168-75.
 effects on Cabernet Sauvignon sensory qualities. 41:193-200.
 Sheffé design for color specification of wines. 41:232-40.
 Sherry. acid content. 41:12-15.
 Shoot positioning and thinning effect of bud necrosis and fruitfulness. 41:168-75.
 Simplex method. 41:289-94.
 Simultaneous distillation extraction. 41:277-83.
 Simultaneous yeast/bacterial fermentation of Cabernet Sauvignon. 41:57-67.
 Softening, grape berry. 41:111-15.
 Sparkling wine. adaptive state of yeast starters for continuous production. 41:219-22.
 stabilization. 41:16-20.
 yeast autolysis during aging. 41:21-8.
 Spring-applied nitrogen. 41:241-50.
 Stable killer phenotype. 41:37-42.
 Stabilization, wine. Champagne. 41:16-20.
 KHT precipitation. 41:16-20.
 Stielhähme. 41:301-5.
 Sulfur dioxide. sulfite residues in table grapes after fumigation. 41:131-6.
 T
 Table grapes. sulfite residues. 41:131-6.
 Tannin. ellagitannin in muscadine juice. 41:43-7.
 in grape tissue extracts. 41:223-8.
 Thermal analysis of deep supercooling of *Vitis vinifera* dormant bud and cane tissue. 41:251-60.

- Thompson Seedless grapevines. berry drop. 41:142-6.
 bud fruitfulness. 41:168-75.
 bud necrosis. 41:168-75.
 gibberellin treatments. 41:142-6.
 leaf tissue analysis. 41:77-83, 121-5.
 potassium deficiency. 41:77-83, 121-5.
 ripening. 41:142-6.
 waterberry. 41:301-5.
- Torulaspora delbrueckii* influence on volatile composition of wines fermented without sulfur dioxide. 41:313-18.
- Translocation of nitrogen in vines. 41:541-50.
- Trellising. See also Canopy management.
 for increased evaporative potential in the fruit zone. 41:137-41.
 leaf and cluster shading effects on Cabernet Sauvignon fruit and wine sensory qualities. 41:193-200.
- 1,1,6-Trimethyl-1,2-dihydronaphthalene (TDN). 41:277-83.
- Tyramine formation during winemaking. 41:160-7.

UV

- Ultrafiltration. 41:182-5, 207-14.
- Urea. formation in commercially fermented wines. 41:68-73.
 in grape juice. 41:189-92.
 reduction by acid urease. 41:350-4.
- Variability of alcoholic fermentation kinetics. 41:319-24.
- Vineyard. nematode resistance. 41:126-30.
 replant. 41:126-30.
- Vinification. decanoic acid production during. 41:48-56.
 genomic integration of yeast K1 killer toxin into wine yeasts. 41:37-42.
 volatile compound production during. 41:48-56.
 yeast growth during. 41:48-56.
- Virus. closteroviruses from leafroll-affected vines. 41:201-3.
- Vitaspiranases. precursors in Riesling wine. 41:277-83.
- Vitis rotundifolia*. mechanical pruning. 41:273-6.
- Vitis vinifera*. pruning effects on cold hardiness and water content. 41:251-6.
- Volatile compound production during vinification. 41:48-56.
 yeast influence on. 41:313-18.

W

- Water content of bud and cane tissue. 41:251-60.
- Waterberry. 41:301-5.
- White grapes. See Grapes.
- White Riesling wine ultrafiltration. 41:207-14.
- Wine(s). acid content of sherries. 41:12-15.
 apricot. 41:229-31.
 aroma. leaf removal effects on. 41:74-6.
 Missouri Seyval blanc sensory and chemical analyses. 41:116-20.
 autoxidative reaction of caffeic acid in. 41:84-6.
 benzyl alcohol oxidase isolation and characterization. 41:295-300.
 biogenic amines formation. 41:160-7.
 blending. 41:232-40.
 browning. 41:84-6.
 Cabernet Sauvignon color and phenolic changes. 41:57-67.
 shading effects on sensory properties. 41:193-200.
 caffeic acid in. 41:84-6.
 carbohydrate colloids. 41:29-36.
 Champagne. aging. 41:21-8.

- color. changes during simultaneous yeast/bacterial fermentation and pomace contact. 41:57-67.
 Missouri Seyval blanc. 41:116-20.
 Sheffé design. 41:232-40.
 ultrafiltration effects on. 41:182-5.
- ethyl carbamate. 41:58-73, 189-92, 269-72.
- Euvtis*. ultrafiltration. 41:182-5.
- fermentation without sulfur dioxide. 41:313-18.
- flavor. See also Flavor and Sensory.
 Missouri Seyval blanc. 41:116-20.
 Sauvignon blanc. 41:74-6.
 precursors. 41:272-83.
- Gewürztraminer. ultrafiltration. 41:207-14.
- haze reduction. 41:147-55.
- histamine formation. 41:160-7.
- insoluble solids effects on sensory qualities. 41:48-56.
- mechanical pruning effects on quality. 41:273-6.
- metallic cation determination by flow injection analysis. 41:284-8.
- muscadine. 41:273-6.
- Nisin use to control lactic acid bacteria. 41:7-11.
- polysaccharides. 41:29-36.
- potassium bitartrate precipitation. 41:16-20.
- protein. wine haze reduction. 41:147-55.
- Riesling. C₁₃-norisoprenoid compounds. 41:277-83.
- Sauvignon blanc. effects of vine leaf removal treatments on aroma and flavor. 41:74-6.
- sensory analysis. See also Descriptive sensory analysis.
 insoluble solids effects on. 41:48-56.
 leaf removal treatments effects on. 41:74-6.
 mechanical pruning effects on. 41:273-6.
 Seyval blanc. 41:116-20.
 ultrafiltration effects on. 41:182-5.
- sherry. 41:12-15.
- simultaneous yeast/bacterial fermentation. 41:57-67.
- sparkling. yeast starters for continuous production. 41:219-22.
- stabilization. potassium bitartrate precipitation. 41:16-20.
 ultrafiltration. 41:207-14.
- Seyval blanc. 41:116-20.
- tyramine formation. 41:160-7.
- ultrafiltration. 41:182-5, 207-14.
- urea formation. 41:68-73.
- volatile composition. 41:313-18.
- White Riesling. 41:207-14.
- yeast. See also Yeast(s).
 autolysis during Champagne aging. 41:21-8.

XYZ

- Xylem transport. 41:301-5.
- Yeast acid proteases for wine haze reduction. 41:147-55.
 autolysis during Champagne aging. 41:21-8.
 effect on urea formation. 41:68-73.
 genomic integration of K1 killer toxin gene. 41:37-42.
 ghosts. 41:48-56.
 growth during vinification. 41:48-56, 156-9.
 influence on volatile composition of wines fermented without sulfur dioxide. 41:313-18.
 K1/K2 double killer strains. 41:37-42.
 lees, effect on ethyl carbamate formation. 41:269-72.
Leuconostoc oenos. See *Leuconostoc oenos*.
Saccharomyces cerevisiae. See *Saccharomyces cerevisiae*.
 starters. for sparkling wine production. 41:219-22.
- Yield, grapevine. harvesting techniques. 41:176-81.